

Section 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Rapid Brake Cleaner Liquid

Product Code: 7858 (5L), 7859 (20 L), 7850 (200L)

Uses: Brake and parts cleaner (non-chlorinated)

Company: Chemz Ltd

Address: 80 Rangitane Place

Whakatu, Hastings

Telephone: +64 6 877 9690 **Email:** info@chemz.co.nz

Emergency Number 24 hr: 0800 764 766 (0800 POISON) NZ National Poison Centre

Section 2 – HAZARDS IDENTIFICATION

Classification of the product

Considered as a hazardous substance according to the Hazardous Substance (Minimum Degrees of Hazard) Regulations NZ. Classified as a dangerous goods for transport purposes.

GHS Classifications: HSNO Classifications:

Flammable Liquids Category 2 3.1B Flammable Liquids: high hazard

Aspiration hazard Category 1 6.1E Acutely toxic (aspiration)

STOT (Single exposure) Category 3 (Narcotic) 6.9B Harmful to human target organs or systems (Single) (Narcotic)


Aquatic toxicity (chronic) Category 2 9.1B Ecotoxic in the aquatic environment with long lasting effects (chronic)











Hazard Statements

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.
 H336 May cause drowsiness or dizziness (narcotic).
 H411 Toxic to aquatic life with long lasting effects.

Section 3 – COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS No.	Proportion, % m/m
Naphtha (petroleum), hydrotreated light	64742-49-0	> 60
2-Propanol	67-63-0	< 10
Other ingredients determined to not be hazardous	-	to 100%

Supersedes: 10.4.19



Section 4 – FIRST AID MEASURES

If medical advice is needed, have product container or label at hand.

If exposed or if you feel unwell: Call a POISON CENTRE (0800 764 766) or doctor.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTRE or doctor. Do NOT induce vomiting. Where there is

risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs.

Obtain immediate medical attention.

Skin contact: IF ON SKIN: Remove contaminated clothing. Wash with plenty of soap and water. Direct contact may

cause irritation in sensitive individuals. If skin irritation occurs: Get medical advice.

Eye contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice.

Inhalation: IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.

Notes to physician: Treat symptomatically and supportively. No specific antidote.

Section 5 - FIRE-FIGHTING MEASURES

Specific hazards: Containers can build up pressure if exposed to heat and/or fire and may burst. Vapours may form an

explosive mixture with air. Vapours can travel to a source of ignition and flash back. May float and be re-

ignited on surface water.

Further advice: On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to

wear self-contained breathing apparatus if risk of exposure to products of combustion. Use water spray

to keep fire-exposed containers cool.

Extinguishing media: For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam.

For large fires, use water spray, fog, or foam. Use water spray to cool fire-exposed containers. Water may

be ineffective. Do not discharge extinguishing waters into the aquatic environment.

Do NOT use straight streams of water.

Hazchem Code: 3YE

Section 6 – ACCIDENTAL RELEASE MEASURES

Minor spills: Clean up all spills immediately. Remove all sources of ignition. If safe, damaged containers should be

placed in a container outdoors, away from all ignition sources. Provide ventilation. Collect spillage.

Major spills: Evacuate the spill area. Call the Fire Brigade. Remove all sources of ignition. If safe to do so, prevent

spillage from entering drains or water courses. If material enters drains, advise emergency services. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers for disposal.

Section 7 – HANDLING AND STORAGE

Handling Precautions: Read product label before use. Keep out of reach of children.

This product is highly flammable. Keep away from heat and open flames/hot surfaces. No smoking. Do

not use near an open flame or other ignition source.

Use outdoors or in well-ventilated area. Avoid breathing vapour. Wash hands with soap and water after

Supersedes: 10.4.19

handling. Avoid release to the environment.

Storage: Protect from sunlight. Store in a well ventilated, cool, dry place. Keep away from heat, sparks, and flame.

Keep container tightly closed. Store locked up.



Section 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits: No value assigned for product. Exposure standards for constituents (NZ WES);

Material	TWA, mg/m ³	STEL, mg/m ³
Naphtha (petroleum) hydrotreated light (supplier)	1200	1,600
2-Propanol	983	1,230

Additional Information: Wash hands before eating, drinking and smoking.

Engineering Controls: No controls required when handling small quantities. Use with adequate ventilation. General exhaust is

adequate under normal operating conditions. Ventilation, lighting and electrical equipment should be explosion-resistant. Use only non-sparking tools. Take precautionary measures against static discharge.

Protective Equipment: In an industrial environment: gloves, safety glasses or chemical goggles and protective gloves are

recommended. Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace.

In case of inadequate ventilation wear respiratory protection. If TWA is exceeded, wear an approved

respirator with a type A filter.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Clear colourless liquid.

pH: Not applicable.

Vapour Density: > 1 (Air =1)

Vapour Pressure, kPa: About 9

Boiling Point, °C: 80 - 110

Melting Point, °C: Not applicable.

Specific Gravity: About 0.72

Flash Point, °C: - 15

Explosion Limit, % v/v: LEL 1% UEL 7%

Autoignition Temp, °C: > 200

Solubility: Not soluble in water.

Section 10 - STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use. Not reactive. Avoid oxidisers. Avoid elevated temperatures.

Section 11 – TOXICOLOGICAL INFORMATION

Basis for Assessment: Information given is based on product testing, and/or similar products, and/or components.

Acute Oral Toxicity: LD50 of mixture calculated to be > 5,000 mg/kg, Rat. May be harmful if aspirated into lungs.

Acute Dermal Toxicity: Lost of mixture calculated to be > 2000 mg/kg, Rabbit.

Acute Inhalation Toxicity: LC_{50} of mixture calculated to be > 20 mg/L Rat 4 hour.

Skin Irritation: Prolonged/repeated contact may cause defatting of the skin which can lead to dermatitis. **Eye Irritation:** May be irritating to the eye. Contact with eyes is irritating causing short term discomfort.

Respiratory Irritation: Inhalation of vapours or mists may cause irritation to the respiratory system.

Sensitisation: Not expected to be a contact or respiratory sensitiser.

Mutagenicity: Not expected to be mutagenic.



Carcinogenicity: Not expected to be a known or presumed carcinogen.

Reproductive toxicity: Not expected to be a human reproductive toxicant.

Effects on or via lactation: Not expected to be toxic effects on or via lactation.

Specific Target Organ Toxicity: Harmful to human target organs or systems.

STOT (Narcotic): Prolonged inhalation of vapours may cause drowsiness or dizziness.

Repeated Dose Toxicity: Central nervous system: repeated exposure may affect the nervous system. Prolonged skin contact with

product may result in irritant contact dermatitis.

Additional Information: None of the components present in this material at concentrations equal to or greater than 0.1% are

listed by IARC, NTP, OSHA or ACGIH as being carcinogens.

Section 12 – ECOTOXICITY INFORMATION

Ecotoxicity: Product is harmful to aquatic organisms with long lasting effects. Experimental data on the finished

product are not available.

Mobility: Floats on water. Volatile. Some components show low soil mobility.

Persistence/degradability: Some components may be persistent. **Bioaccumulation:** Has the potential to bioaccumulate.

Section 13 – DISPOSAL CONSIDERATIONS

Material Disposal: Product wastes are ecotoxic and should be disposed of in accordance with applicable regulations. Do not

dispose into the environment, in drains or in water courses. Waste product should not be allowed to

contaminate soil or water.

Large quantities should be handled by a suitable disposal facility. Incineration in an authorised facility is

suggested.

Container Disposal: Recycle empty container in an approved recycling stream. Product containers are considered wastes of

the same class as the contents and should be disposed of in accordance with applicable regulations.

Section 14 – TRANSPORT INFORMATION

Transport: Classified as a Dangerous Good for transport purposes.

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

UN Number: 1993 Dangerous Goods Class: 3

Transport Labels Required: Class 3 Flammable (Land, Sea and Air), EHSM (Sea and Air)

Land, Sea, Air Sea, Air





Subsidiary Risk: Not applicable

Packing Group: II

Marine Pollutant: Yes

EMS Number F-E, S-D

DG Segregation: This product is classified as a Dangerous Goods. Please consult the Land Transport Rule: Dangerous

Goods 2005, and NZS 5433:2012 Transport of Dangerous Goods on Land for information.

Supersedes: 10.4.19



Section 15 – REGULATORY INFORMATION

Inventory Listing: All components of this product are listed on the New Zealand Inventory of Chemicals (NZIoC).

SDS regulations This Safety Data Sheet was prepared in accordance with the EPA Hazardous Substances (Safety Data

Sheets) Notice 2017 (Consolidated 30 September 2022).

EPA Approval Number: HSR002650 Solvent (Flammable) Group Standard 2020

EPA Hsno Controls: Refer to www.epa.govt.nz for information on Controls.

This substance is to be managed using the conditions specified in an applicable Group Standard.

Section 16 - OTHER INFORMATION

Additional information

Personal Protective Equipment Guidelines: The recommendation for protective equipment contained is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health Effects from Exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations CAS

CAS Chemical Abstract Service number

EMS Emergency Response Procedures for Ships Carrying Dangerous Goods

EPA Environmental Protection Agency (New Zealand)

GHS Globally Harmonized System

IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

LC₅₀ Lethal Concentration, 50% / Median Lethal Concentration

LD₅₀ Lethal Dose, 50% / Median Lethal Dose

LEL Lower Explosion Limit
mg/m³ Milligrams per Cubic Metre

NICNAS National Industrial Chemicals Notification and Assessment Scheme (Australia)

NZIoC New Zealand Inventory of Chemicals

N.O.S. Not otherwise specified
 OEL Occupational Exposure Limit
 PEL Permissible Exposure Limit
 STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

TLV Threshold Limit Value
TWA Time Weighted Average
UEL Upper Explosion Limit

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Chemz Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. If clarification or further information is needed, the user should contact their Chemz representative or Chemz Limited at the contact details on page 1. Chemz Limited's responsibility for the material as sold is subject to the terms and conditions of sale.

End of sds.