



Trusted Aerosol Performance

SAFETY DATA SHEET

Section 1 – IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: WASP Anti-Spatter Liquid
Product Code: 7739 (20 L)
Uses: Lubricant coating for metal to stop weld spatter adhering to surface.
Company: Chemz Ltd
Address: 80 Rangitane Place
Whakatu, Hastings
Telephone: +64 6 877 9690
Email: info@chemz.co.nz
Emergency Number 24 hr: 0800 764 766 (0800 POISON) NZ National Poison Centre

Section 2 – HAZARDS IDENTIFICATION

Classification of the product

Considered as a hazardous substance according to the Hazardous Substance (Minimum Degrees of Hazard) Regulations NZ.

Classified as a dangerous goods for transport purposes.

HSNO Classifications:

6.1D Acutely toxic (oral)
6.3A Irritating to the skin
6.4A Irritating to the eye
6.7B Suspected human carcinogens
6.9B Harmful to human target organs or systems (inhalation)
9.3C Hazardous to terrestrial vertebrates

GHS Classifications:

Acute Toxicity: Oral Category 4
Skin irritation Category 2
Eye irritation Category 2A
Carcinogenicity Category 2
STOT (single exposure) Category 2
Ecotoxic to terrestrial vertebrates



Signal Words: Warning

Hazard Statements

H302 Harmful if swallowed.
H313 May be harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H371 May cause damage to organs by inhalation, through prolonged or repeated exposure.
H433 Harmful to terrestrial vertebrates.

Precautionary Statements, Prevention:

P203 Obtain, read and follow all safety instructions before use.
P260 Do not breathe vapours.
P264+P265 Wash hands thoroughly after handling. Do not touch eyes.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection when handling.



Trusted Aerosol Performance

SAFETY DATA SHEET

Precautionary Statements, Response:

P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302+P352	IF ON SKIN: wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P318	If exposed or concerned, get medical advice.
P319	Get medical help if you feel unwell.
P321	Specific treatment (see on this label).
P332+P337+P317	If skin or eye irritation occurs or persists: Get medical help.
P362+P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements, Storage:

P405	Store locked up.
------	------------------

Precautionary Statements, Disposal:

P501	Dispose of waste in accordance with Regional Authority or local council regulations.
------	--

Section 3 – COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS No.	Proportion, % m/m
Dichloromethane	75-09-2	> 60
Other ingredients determined to not be hazardous	-	to 100%

Section 4 – FIRST AID MEASURES

If medical advice is needed, have product container or label at hand.

If exposed or if you feel unwell: Call a POISON CENTRE (0800 764 766) or doctor.

Ingestion:	IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.
Skin contact:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice. Remove contaminated clothing and wash before re-use.
Eye contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.
Inhalation:	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.
Notes to physician:	Treat symptomatically and supportively. No specific antidote.

Section 5 – FIRE-FIGHTING MEASURES

Specific hazards:	Containers and product will burn if involved in a fire.
Further advice:	On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion.
Extinguishing media:	Use water spray, fog, or foam. Do not discharge extinguishing waters into the aquatic environment.
Hazchem Code:	2Z



Trusted Aerosol Performance

SAFETY DATA SHEET

Section 6 – ACCIDENTAL RELEASE MEASURES

- Minor spills:** Slippery when spilt. Clean up all spills immediately. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers for disposal. Provide ventilation. Collect spillage.
- Major spills:** Evacuate the spill area. Call the Fire Brigade. Remove all sources of ignition. If safe to do so, prevent spillage from entering drains or water courses. If material enters drains, advise emergency services. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers for disposal.

Section 7 – HANDLING AND STORAGE

- Handling Precautions:** Read product label before use. Keep out of reach of children.
Use in a well-ventilated area. Avoid breathing vapour. Wash hands with soap and water after handling.
Avoid release to the environment.
- Storage:** Store in a well-ventilated, cool, dry place. Heat sensitive. Keep container tightly closed. Store locked up.

Section 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

- Exposure Limits:** No value assigned for product. Exposure standards for constituents (NZ WES);

Material	TWA, mg/m ³	STEL, mg/m ³
Dichloromethane (6.7B)	174	-
	-	-

- Additional Information:** Wash hands before eating, drinking and smoking.
- Engineering Controls:** No controls required when handling small quantities. Use with adequate ventilation. General exhaust is adequate under normal operating conditions.
- Protective Equipment:** In an industrial environment: gloves, safety glasses or chemical goggles and protective gloves are recommended. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.

In an enclosed area or in case of inadequate ventilation wear respiratory protection. If TWA is exceeded, wear an approved respirator with a type A filter.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

- Physical state:** Clear colourless volatile liquid.
- pH:** Not applicable.
- Vapour Density:** 2.9 (Air =1)
- Vapour Pressure, kPa:** 46.5
- Boiling Point, °C:** 40
- Melting Point, °C:** Not applicable.
- Specific Gravity:** 1.3
- Flash Point, °C:** Not applicable.
- Explosion Limit, % v/v:** LEL 14% UEL 22% (oxygen rich)
- Autoignition Temp, °C:** 662
- Solubility:** Slightly soluble in water.

Section 10 – STABILITY AND REACTIVITY

- Stability:** Stable under normal conditions of use. Not reactive. Avoid oxidisers. Avoid elevated temperatures.

Section 11 – TOXICOLOGICAL INFORMATION



Trusted Aerosol Performance

SAFETY DATA SHEET

Basis for Assessment:	Information given is based on product testing, and/or similar products, and/or components.
Acute Oral Toxicity:	LD ₅₀ of mixture calculated to be 1,660 mg/kg, Rat. May be harmful if swallowed.
Acute Dermal Toxicity:	LD50 of mixture calculated to be > 2000 mg/kg, Rabbit. Low toxicity
Acute Inhalation Toxicity:	Narcotic - may cause drowsiness or dizziness. High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea.
Skin Irritation:	May cause mild skin irritation.
Eye Irritation:	May be irritating to the eye. Contact with eyes is irritating causing short term discomfort.
Respiratory Irritation:	Inhalation of vapour may cause irritation to the nose and throat. The inhalation of large quantities will result in moderate discomfort. Symptoms of over-exposure can include dizziness and nausea.
Sensitisation:	Not a sensitiser.
Repeated Dose Toxicity:	Central nervous system: repeated inhalation exposure may affect the nervous system. Prolonged contact with product may result in irritant contact dermatitis.

Section 12 – ECOTOXICITY INFORMATION

Ecotoxicity:	Product is moderately ecotoxic to terrestrial vertebrates.
Mobility:	No data available.
Persistence/degradability:	Some components may be persistent.
Bioaccumulation:	Has the potential to bioaccumulate.

Section 13 – DISPOSAL CONSIDERATIONS

Material Disposal:	Product wastes are ecotoxic and should be disposed of in accordance with applicable regulations. Do not dispose into the environment, in drains or in water courses. Waste product should not be allowed to contaminate soil or water. Large quantities should be handled by a suitable disposal facility. Incineration in an authorised facility is suggested.
Container Disposal:	Recycle empty container in an approved recycling stream. Product containers are considered wastes of the same class as the contents and should be disposed of in accordance with applicable regulations.

Section 14 – TRANSPORT INFORMATION

Transport:	Classified as a Dangerous Good for transport purposes.
Proper Shipping Name:	DICHLOROMETHANE SOLUTION N.O.S.
UN Number:	1593
Dangerous Goods Class:	6.1
Transport Labels Required:	Toxic



Subsidiary Risk:	Not applicable
Packing Group:	III
Marine Pollutant:	Yes
EMS Number	F-A, S-A



Trusted Aerosol Performance

SAFETY DATA SHEET

DG Segregation: This product is classified as a Dangerous Goods. Please consult the Land Transport Rule: Dangerous Goods 2005, and NZS 5433:2012 Transport of Dangerous Goods on Land for information.

Section 15 – REGULATORY INFORMATION

Inventory Listing: All components of this product are listed on the New Zealand Inventory of Chemicals (NZIoC) and Australian NICNAS AICS.

This substance is to be managed using the conditions specified in an applicable Group Standard.

EPA Approval Number: HSR002607 Lubricants (Toxic [6.7] Group Standard 2017)

EPA Hsno Controls: Refer to www.epa.govt.nz for information on Controls.

Section 16 – OTHER INFORMATION

Additional information Health Effects from Exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations	AICS	Australian Inventory of Chemical Substances
	ADG	Australian Code for the Transport of Dangerous Goods by Road and Rail
	CAS	Chemical Abstract Service number
	EMS	Emergency Response Procedures for Ships Carrying Dangerous Goods
	EPA	Environmental Protection Agency (New Zealand)
	GHS	Globally Harmonized System
	IARC	International Agency for Research on Cancer
	IATA	International Air Transport Association
	IMDG	International Maritime Dangerous Goods
	LC ₅₀	Lethal Concentration, 50% / Median Lethal Concentration
	LD ₅₀	Lethal Dose, 50% / Median Lethal Dose
	LEL	Lower Explosion Limit
	mg/m ³	Milligrams per Cubic Metre
	NICNAS	National Industrial Chemicals Notification and Assessment Scheme (Australia)
	NZIoC	New Zealand Inventory of Chemicals
	N.O.S.	Not otherwise specified
	OEL	Occupational Exposure Limit
	PEL	Permissible Exposure Limit
	STEL	Short-Term Exposure Limit
	STOT-RE	Specific target organ toxicity (repeated exposure)
	STOT-SE	Specific target organ toxicity (single exposure)
	TLV	Threshold Limit Value
	TWA	Time Weighted Average
	UEL	Upper Explosion Limit

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Chemz Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. If clarification or further information is needed, the user should contact their Chemz representative or Chemz Limited at the contact details on page 1. Chemz Limited's responsibility for the material as sold is subject to the terms and conditions of sale.

End of SDS.