



### Section 1 – IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name:	Chemz Penetrene Liquid		
Product Code:	7308, 7309 and 7300		
Uses:	Displaces moisture, lubricates, protects and controls corrosion.		
Restrictions on Use:	None identified		
Company:	Chemz Ltd		
Address:	80 Rangitane Place		
	Whakatu, Hastings		
Telephone:	+64 6 877 9690		
Email:	info@chemz.co.nz		
Emergency Number 24 hr:	0800 764 766 (0800 POISON) NZ National Poison Centre		
	Australia 13 1126 from anywhere in Australia		

### Section 2 – HAZARDS IDENTIFICATION

### **Classification of the product**

Considered as a hazardous substance according to the Hazardous Substance (Minimum Degrees of Hazard) Regulations NZ. Classified as a dangerous goods for transport purposes.

#### **HSNO Classifications:**

3.1C	Flammable Liquids: medium hazard
6.1E (Asp)	Acutely toxic (aspiration)
6.3B	Mildly irritating to the skin
6.9B	Harmful to human target organs or systems
9.1B	Ecotoxic in the aquatic environment



#### Signal Words: Danger

#### Hazard Statements

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H316	Causes mild skin irritation.
H373	May cause damage to organs.
H411	Toxic to aquatic life with long lasting effects.

#### **GHS Classifications:**

Flammable Liquids	Category 3
Aspiration hazard	Category 2
Skin irritation	Category 3
STOT (repeated exposure)	Category 2
Aquatic toxicity (Chronic)	Category 2





## Section 3 – COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS No.	Proportion, % m/m
Aliphatic Low Aromatic Hydrocarbon	64742-82-1	30 - 60
Mineral Oil	8042-47-5	10 - 30
Butoxyethanol	111.76-2	< 10
Other ingredients determined to not be hazardous	-	to 100%

### Section 4 – FIRST AID MEASURES

If medical advice is needed, have product container or label at hand.

If exposed or if you feel unwell: Call a POISON CENTRE (0800 764 766) or doctor.

Eye contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.
Inhalation:	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.
Ingestion:	IF SWALLOWED: Immediately call a POISON CENTRE or doctor. Do NOT induce vomiting. Where there is risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs. Obtain immediate medical attention.
Skin contact:	IF ON SKIN: Wash with plenty of soap and water. Take off all contaminated clothing. Direct contact may cause irritation in sensitive individuals. If skin irritation occurs: Get medical advice.
Notes to physician:	Treat symptomatically and supportively. No specific antidote.

### Section 5 – FIRE-FIGHTING MEASURES

Specific hazards:	Containers can build up pressure if exposed to heat and/or fire and may burst. If safe to do so, remove containers from the path of fire. Vapours may form an explosive mixture with air. Vapours can travel to a source of ignition and flash back. May float and be re-ignited on surface water.
Further advice:	On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion. Use water spray to keep fire-exposed containers cool.
Extinguishing media:	Use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Use water spray to cool fire- exposed containers. Do NOT use straight streams of water. Water may be ineffective. Do not discharge extinguishing waters into the aquatic environment.
Hazchem Code:	3Y
Section 6 – ACCIDENTA	L RELEASE MEASURES
Minor spills:	Clean up all spills immediately. Remove all sources of ignition. If safe, damaged containers should be placed in a container outdoors, away from all ignition sources. Provide ventilation. Wash with water.
Major spills:	Evacuate the spill area. Call the Fire Brigade. Remove all sources of ignition. If safe to do so, prevent spillage from entering drains or water courses. If material enters drains, advise emergency services. Use

Section 7 – HANDLING AND STORAGE

Handling Precautions:	Read product label before use. Keep out of reach of children.			
	This product is highly flammable. Keep away from heat and open flames/hot surfaces. No smoking. Do not use near an open flame or other ignition source.			

Wash area down with excess water.

absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers for disposal.





Use outdoors or in well-ventilated area. Avoid breathing vapour. Wash hands with soap and water after handling. Avoid release to the environment.

Storage:

Protect from sunlight. Store in a well ventilated, cool, dry place. Keep away from heat, sparks, and flame. Keep container tightly closed. Store locked up.

### Section 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Limits:** 

No value assigned for product. Exposure standards for constituents (NZ WES);

	Material	TWA, mg/m <sup>3</sup>	STEL, mg/m <sup>3</sup>
	Aliphatic Low Aromatic Hydrocarbon (supplier)	525	-
	Oil Mist, Mineral	5	10
	Butoxyethanol (skin)	25	-
Additional Information:	Wash hands before eating, drinking and smoking.		
Engineering Controls:	No controls are normally required when handling small quantities. Use with adequate ventilation.		
	Larger quantities: General exhaust is adequate under norn and electrical equipment should be explosion-resistant. Us measures against static discharge.		
Protective Equipment:	In an industrial environment: gloves, safety glasses or chemical goggles and protective gloves are recommended. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.		0
	In case of inadequate ventilation wear respiratory protecti respirator with a type A filter.	on. If TWA is exceeded, we	ar an approved

### Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Clear, almost colourless liquid.
Odour:	Hydrocarbon.
pH:	Not applicable.
Vapour Density:	> 1 (Air =1)
Vapour Pressure, kPa:	About 0.25 @ 20°C.
Boiling Point, °C:	About 160
Melting Point, °C:	Not applicable.
Specific Gravity:	About 0.78
Flash Point, °C:	About 40
Explosion Limit, % v/v:	LEL 1% UEL 7%
Autoignition Temp, °C:	200
Solubility:	Not soluble in water.

## Section 10 – STABILITY AND REACTIVITY

Stability:

Stable under normal conditions of use. Not reactive. Avoid oxidisers. Avoid elevated temperatures.

Section 11 – TOXICOLOGICAL INFORMATION				
Basis for Assessment:	Information given is base	d on product testing, and/or si	milar products, and/or	components.
Acute Oral Toxicity:	Low toxicity: $LD_{50}$ of mixture calculated to be 3,600 mg/kg, Rat. May be harmful if swallowed.			
Acute Dermal Toxicity:	Low toxicity: $LD_{50}$ of mixture calculated to be > 2000 mg/kg, Rabbit.			
Ref: Penetrene Liquid	Date: 25.9.18	Supersedes: 1.12.14	Issue No: 3	Page 3 of 6 pages





Acute Inhalation Toxicity:	High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea.
Skin Irritation:	May cause mild skin irritation in sensitive individuals. Prolonged/repeated contact may cause defatting of the skin which can lead to dermatitis.
Eye Irritation:	Vapours may be irritating to the eye. Contact with eyes is mildly irritating causing short term discomfort.
Respiratory Irritation:	Inhalation of vapour may cause irritation to the nose and throat. The inhalation of large quantities will result in moderate discomfort. Symptoms of over-exposure can include dizziness, nausea, headaches and other central nervous system effects.
Sensitisation:	Not expected to be a sensitiser.
Repeated Dose Toxicity:	Central nervous system: repeated exposure may affect the nervous system. Prolonged contact with product may result in irritant contact dermatitis. May cause damage to organs through prolonged or repeated exposure.
Other Health Effects:	Prolonged or repeated exposure to high concentrations may result in temporary hearing loss. Not expected to be mutagenic. Any foetotoxicity effects in animals are at doses that are maternally toxic. Not expected to impair fertility.
	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.

### Section 12 – ECOTOXICITY INFORMATION

Ecotoxicity:	Product is harmful to aquatic organisms with possible long lasting effects if continuous exposure is maintained.
Mobility:	Floats on water. Highly volatile and will evaporate to air. Some components show low soil mobility.
Persistence/degradability:	Expected to be biodegradable. Can rapidly degrade in air. Some components may be persistent.
Bioaccumulation:	Not expected to significantly bioaccumulate.

## Section 13 – DISPOSAL CONSIDERATIONS

Material Disposal:	Product wastes are ecotoxic and should be disposed of in accordance with applicable regulations. Do not dispose into the environment, in landfill, in drains or in water courses. Waste product should not be allowed to contaminate soil or water.
	Larger quantities should be handled by a suitable disposal facility. Incineration in an authorised facility is suggested.
Container Disposal:	Recycle empty container in an approved recycling stream. Product containers are considered wastes of the same class as the contents and should be disposed of in accordance with applicable regulations.

### Section 14 – TRANSPORT INFORMATION

Transport:	Classified as a Dangerous Good for transport purposes.	
Proper Shipping Name:	HYDROCARBONS, LIQUID, N.O.S.)	
UN Number:	3295	
Dangerous Goods Class:	3	
Transport Labels Required:	Class 3 Flammable	

Subsidiary Risk:

Not applicable





Packing Group:	III
Marine Pollutant:	Yes
EMS Number	F-E, S-D
DG Segregation:	This product is classified as a Dangerous Goods. Please consult the Land Transport Rule: Dangerous Goods 2005, and NZS 5433:2012 Transport of Dangerous Goods on Land for information.

### Section 15 – REGULATORY INFORMATION

Inventory Listing:	NZIOC (New Zealand Inventory of Chemicals); All components of this product are listed.		
	AICS (Australian Inventory of Chemical Substances); All components of this product are listed.		
EPA Approval Number:	HSR002650 Solvent (Flammable) Group Standard 2017		
SDS regulations	This Safety Data Sheet was prepared in accordance with the Preparation of Safety Data Sheets – Code of Practice, (No. HSNO CoP 8-1 09-06), Responsible Care New Zealand (RCNZ)		
Approved Handler:	Not required.		
Location Test Certificate:	3.1C - Required for quantity > 500 litres in containers > 5 L or > 1,500 litres in containers $\leq$ 5 L.		
Tracking:	This substance is not a tracked substance.		
EPA Hsno Controls:	Refer to <u>www.epa.govt.nz</u> for information on Controls.		
	This substance is to be managed using the conditions specified in an applicable Group Standard.		
EPA Approval Number:	HSR002650 Solvent (Flammable) Group Standard 2017		
EPA Hsno Controls:	Refer to <u>www.epa.govt.nz</u> for information on Controls.		

# Section 16 - OTHER INFORMATION

Additional information	Health Effects from Exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.		
Abbreviations	AICS	Australian Inventory of Chemical Substances	
	ADG	Australian Code for the Transport of Dangerous Goods by Road and Rail	
	CAS	Chemical Abstract Service number	
	EMS	Emergency Response Procedures for Ships Carrying Dangerous Goods	
	EPA	Environmental Protection Agency (New Zealand)	
	GHS	Globally Harmonized System	
	IARC	International Agency for Research on Cancer	
	ΙΑΤΑ	International Air Transport Association	
	IMDG	International Maritime Dangerous Goods	
	LC <sub>50</sub>	Lethal Concentration, 50% / Median Lethal Concentration	
	LD <sub>50</sub>	Lethal Dose, 50% / Median Lethal Dose	
	LEL	Lower Explosion Limit	
	mg/m³	Milligrams per Cubic Metre	
	NICNAS	National Industrial Chemicals Notification and Assessment Scheme (Australia)	
	NZIoC	New Zealand Inventory of Chemicals	
	N.O.S.	Not otherwise specified	
	OEL	Occupational Exposure Limit	
	PEL	Permissible Exposure Limit	





STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
TLV	Threshold Limit Value
TWA	Time Weighted Average
UEL	Upper Explosion Limit

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Chemz Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. If clarification or further information is needed, the user should contact their Chemz representative or Chemz Limited at the contact details on page 1. Chemz Limited's responsibility for the material as sold is subject to the terms and conditions of sale.

End of sds.